

XT Series - Semi-traction batteries with a paste plate

<b>MODEL</b>	XT 1275
<b>VOLTAGE</b>	12V
<b>CAPACITY</b>	150Ah @ 20Hr
<b>HOUSING MATERIALY</b>	Polypropylene
<b>BATTERY TYPE</b>	Semi-Traction
<b>ELECTROLYTE</b>	With liquid electrolyte



### SPECIFICATION

MODEL	TERMINAL	POLARIZATION	DIMENSIONS				WEIGHT
			LENGTH	WIDTH	HEIGHT	WITH TERMINAL	
XT 1275	ET	RIGHT +	329mm	181mm	276mm	276mm	37,50kg

### ELECTRICAL SPECIFICATIONS

CAPACITY WHEN DISCHARGED UP TO 1.75V / CELL AT 25°C		CHARGING VOLTAGE DURING CYCLE OPERATION	CHARGING CURRENT	
5h	20h		RECOMMENDED	MAXIMUM
120Ah	150Ah	14,70V - 14,90V	15,00A	19,50A

„Do not install or charge the batteries in a sealed compartment.”  
„Leaving the batteries discharged or overcharging them will damage the batteries and shorten its service life.”

### STORAGE

PERMISSIBLE AMBIENT TEMPERATURE			SELF-DISCHARGE AT 20°C
STORAGE	CHARGE	DISCHARGE	
5°C to +40°C	5°C to +45°C	-10°C to +45°C*	Up to 15% for a month depending on the storage temperature

\* „In temperatures below 0°C, maintain the state of charge at least 50%.”

### CHARGING STATUS


CHARGE PERCENTAGE	CELL	12 V
100	2,22	13,32
75	2,12	12,72
50	2,07	12,42
25	2,02	12,21
0	1,95	11,70

### APPLICATIONS

- wheelchair
- scissor lifts
- golf carts
- cleaning machines
- boats
- photovoltaic systems
- mobile devices
- devices powered by an electric motor
- devices with high cycle of work


XT Series - Semi-traction batteries with a paste plate

### DIMENSIONS



### TERMINAL TYPE

ET




Terminal height: 33 [mm]

Torque value: 110-120 [Nm]

Screw: 5/16"

### CYCLICAL LIFE



### SAFETY



### RECYKLING



### ENVIRONMENT INFORMATION

EXPLOITED BATTERIES ARE CONSIDERED AS HAZARDOUS WASTE. THESE WASTES DUE TO THEIR ORIGIN, CHEMICAL COMPOSITION (THEY CONTAINS HEAVY METALS LIKE LEAD AND OTHER TOXIC SUBSTANCES) AND OTHER FEATURES MAY BE DANGEROUS FOR ENVIRONMENT AND HUMAN OR ANIMAL HEALTH LIFE. ACCORDING TO THE WASTE ACT, WASTE IN THE FORM OF BATTERIES AND ACCUMULATORS SHOULD BE COLLECTED SEPARATELY FROM OTHER TYPES OF WASTE.

IN ORDER TO OBTAIN MORE DETAILED INFORMATION, WE ENCOURAGE YOU TO CONTACT US, WE PROVIDE ANY INFORMATION ON HOW TO HANDLE WITH WASTE BATTERIES AND ACCUMULATORS.